

Graphene Iron Nanoparticles, Dry Powder PRODUCT DATA SHEET

Graphene Iron Nanoparticles, Dry Powder

Description

Graphene has a two-dimensional structure of a carbonaceous new material, which has excellent electrical, thermal and mechanical properties. Our graphene with a very large surface area 500 ~ 1200 m²/g. Graphene Iron Nanoparticles, Dry Powder is composed of highly electric conductive graphene and iron Nanoparticles / nanopowder. The iron nanopowder / nanoparticles can not only prevent dispersed graphene from reagglomerating, but also exhibit synergetic effect with graphene. By mixing the two conductive products, it can effectively improve the electrical conductivity, thermal conductivity and mechanical properties; effectively enhance tensile strength, hardness and elastic modulus characteristics, and provide higher electrode conductivity and stronger electrode mechanical strength and adhesive attraction. Also, can obtain magnetic nano-materials in the application of magnetic recording and coatings.

Abvigen offers high quality graphene iron nanoparticles, dry powder. The product has high repeatability between batches, which can meet the needs of various customers for personalized materials such as research and development, testing and production.

For custom sizes, formulations or bulk quantities please contact our customer service department.

Website: www.abvigen.com Phone: +1 929-202-3014 Email: info@abvigenus.com

Characteristics

Type: Graphene Iron Nanoparticles, Dry Powder

Size: 50 g

Graphene Nanopowder Parameters:

Graphene purity: >99wt%

Graphene thickness: <5 nm

Graphene diameter: 1 µm - 12 µm

Graphene specific surface area: 500 - 1200 m²/g

Graphene color: Black

Tel: 1-816-388- 0112 Fax: 1- 888-616-0161

Email: info@abvigenus.com
© Abvigen Inc All Rights Reserved



Conductivity: 1000-1500 S/M

The product COA: C=99.6%, O<0.4%

Iron (Fe) Nanopowder Parameters:

Iron Nanopowder / Nanoparticles (Fe, metal basis)

Iron nanopowder / nanoparticles true density: 7.9 g/cm³

Iron nanopowder / nanoparticles purity: 99.9%

Iron nanopowder / nanoparticles APS: 25 nm

Iron nanopowder / nanoparticles SSA: 65 m²/g

Iron nanopowder / nanoparticles color: Black

Iron nanopowder / nanoparticles morphology: Spherical

Advantages

Excellent electrical, thermal and mechanical properties

Uniform

Stable

Effectively enhance tensile strength, hardness and elastic modulus characteristics

Provide higher electrode conductivity and stronger electrode mechanical strength and adhesive

attraction

Applications

Screen displays, electric motors, sensing devices, aerospace and automotive devices, body armor and tear-resistant cloth fibers and textiles products, sports equipments. Serve as a conductive metallic or semiconductor, conductive films in coatings, plastics, certain bioscience applications, solar and electronic applications, additives in polymers, catalysts, electron field emitters for cathode ray lighting elements, flat panel display, gas-discharge tubes in telecom networks, electromagnetic-wave absorption and shielding, energy conversion; lithium-battery anodes, hydrogen storage, nanotube composites (by filling or coating), nanoprobes for STM, AFM, and EFM tips, nanolithography; nanoelectrodes, drug delivery, sensors, reinforcements in composites, supercapacitor.



Ordering Information

Website: www.abvigen.com

Phone: +1 929-202-3014

Email: info@abvigenus.com

1378 US-206 Ste 6-126, Skillman, NJ USA Tel: 1-816-388- 0112 Fax: 1-888-616-0161 Email: info@abvigenus.com © Abvigen Inc All Rights Reserved